




GAS HOSES


GAS HOSES GAS FLEX (FULLY EXTENSIBLE)



APPLICATION AREAS
 Natural gas applications
 Kitchen appliances
 Combi boilers and water heaters
 Cookers and grills

PRODUCT SPECIFICATION
 Closed pitch corrugated extensible metal hose
 Stainless Steel AISI 316L
 Female-Male/Female-Female
 Nut in Stainless Steel AISI 304/303 EN ISO 228/1
 (Brass Ms58 Opt.)
 Nipple in Stainless Steel AISI 304/303 EN ISO 7/1
 Polyolefin Cover in Yellow or coverless
 NBR / Aluminium
 With heat treatment
 UNI 11353

Hose Type
Hose Material
Fittings Types
Fittings Materials
Cover
Gasket
Other
 Norm



HOSE DIMENSIONS	DN	CONNECTION	LENGTH (mm)
	12	1/2"x1/2" 1/2"x3/4"	90X140
			130X220
	20	3/4"x3/4"	220X420
25	1"x1"	300X600	
		500X1000	
		750X1500	
		1000X2000	

APPLICATION AREAS


Natural gas applications
 Kitchen appliances
 Combi boilers and water heaters
 Cookers and grills





PRODUCT SPECIFICATION

Hose Type Semi Closed pitch corrugated extensible metal hose
Hose Material Stainless Steel AISI 316L
Fittings Types Female-Male/Female-Female
Fittings Materials Nut in Nickel Coated Brass EN ISO 228/1
 Nipple in Stainless Steel EN ISO 7/1
Cover Polyolefin Cover in yellow or coverless
Gasket NBR / Aluminium
Other With heat treatment

HOSE DIMENSIONS	DN	CONNECTION	LENGTH (mm)
	12	1/2"x1/2" 1/2"x3/4"	110X185
			220X375
	16	3/4"x3/4"	300X510
20	1"x1"	500X850	
		750X1275	
			1000X1700



GAS HOSES SEMI EXTENSIBLE



PRODUCT SPECIFICATION

PRS 6/E

Standard corrugated metal hose
Stainless Steel AISI 316L / AISI 321
Female-Male, Male-Male
Male in threaded Carbon Steel St. 37.2 pipe EN 10226
Nut in brass (BS 746)
Coverless

Hose Type
Hose Material
Fittings Types
Fittings Materials
Cover

HOSE DIMENSIONS (PRS 6/E)		
DN	CONNECTION	LENGTH (mm)
20	3/4"x3/4" 3/4"x1"	242
		250
		330
25	1"x1"	400
		440

**GAS HOSES
COUNTER-FLEX**

Standard/closed pitch corrugated extensible metal hose
Stainless Steel AISI 316L
Female-Male/Female-Female
Male (EN ISO 7/1) and int. parts in CrNi coated Carbon Steel St. 37.2
Nut in brass / Carbon Steel St. 37.2 EN ISO 228/1
Polyolefin Cover in Yellow or Coverless



HOSE DIMENSIONS		
DN	CONNECTION	LENGTH (mm)
20	3/4"x3/4"	150
		170
25	3/4"x1"	130x220
	3/4"x1/4"	220x420
32	1"x1 1/4"	300x600





GAS HOSES
GAS FLEX EKO

APPLICATION AREAS

Natural gas applications
Kitchen appliances
Cookers and grills



PRODUCT SPECIFICATION

Hose Type Standard corrugated metal hose
Hose Material Stainless Steel AISI 316L
Fittings Types Female-Male, Female-Female
Fittings Materials Nipple in Ni Coated Carbon Steel St. 37.2 EN ISO 7/1
Nut in Ni Coated Carbon Steel St. 37.2 EN ISO 228/1
Cover Polyolefin Cover in Yellow or Coverless



HOSE DIMENSIONS	DN	CONNECTION	LENGTH (mm)
	12	1/2"x1/2" 1/2"x3/4"	All sizes are available in between 300-5000
	16	3/4"x3/4"	
	20	1"x1"	



GAS HOSES

BURN-FLEX

APPLICATION AREAS

Natural gas applications
Kitchen appliances
Gas burners and heaters

PRODUCT SPECIFICATION

Hose Type Semi Closed pitch corrugated metal hose
Hose Material Stainless Steel AISI 316L
Fittings Types External threaded pipe EN ISO 7/1
Fittings Materials CrNi Coated Carbon Steel St. 37.2/Stainless Steel
Cover Polyolefin Cover in Yellow or Coverless



HOSE DIMENSIONS	DN	CONNECTION	LENGTH (mm)
	12	1/2"	145
	16	3/4"	150
	25	1"	165
	32	1 1/4"	165
	40	1 1/2"	210
	50	2"	230